

Cable size	126/0.4 16 sq mm		196/0.4 25 sq mm		276/0.4 35 sq mm	
	BR Cat no	Voltage	BR Cat no	Voltage	BR Cat no	Voltage
	6/111010 6/108155	1900/3300 TDE 600/1000 P	6/111020 6/108500	1900/3300 TDE 600/1000 P	6/111030 6/108790	1900/3300 TDE 600/1000 P
Stud size	BR Cat no	TRANECT no	BR Cat no	TRANECT no	BR Cat no	TRANECT no
M4 - 5 deg	54/120000	DG4	54/120100	DH4	54/120200	DI4
M4 - 45 deg	54/120002	2DG4	54/120102	2DH4	54/120202	2DI4
M4 - 90 deg	54/120004	3DG4	54/120104	3DH4	54/120204	3DI4
M6 - 5 deg		DG6		DH6		DI6
M6 - 45 deg		2DG6		2DH6		2DI6
M6 - 90 deg		3DG6		3DH6		3DI6
M8 - 5 deg	54/120010	WG8	54/120110	DH8	90/42667	DI8
M8 - 45 deg	54/120012	2WG8	54/120112	2DH8	54/120212	2DI8
M8 - 90 deg	54/120014	3WG8	54/120114	3DH8	54/120214	3DI8
M10 - 5 deg	54/120020	WG10	54/120120	WH10	90/42665	WI10
M10 - 45 deg	54/120022	2WG10	54/120122	2WH10	54/120222	2WI10
M10 - 90 deg	54/120024	3WG10	54/120124	3WH10	54/120224	3WI10
M12 - 5 deg			54/120130	WH12	54/120230	WI12
M12 - 45 deg			54/120132	2WH12	54/120232	2WI12
M12 - 90 deg			54/120134	3WH12	54/120234	3WI12
M14 - 5 deg					54/120240	WI14
M14 - 45 deg					54/120242	2WI14
M14 - 90 deg					54/120244	3WI14
M16 - 5 deg						
M16 - 45 deg						
M16 - 90 deg						
M18 - 5 deg						
M18 - 45 deg						
M18 - 90 deg						
M20 - 5 deg						
M20 - 45 deg						
M20 - 90 deg						

Cable size	396/0.4 50 sq mm		360/0.5 70 sq mm		475/0.5 95 sq mm	
	BR Cat no	Voltage	BR Cat no	Voltage	BR Cat no	Voltage
	6/111040	1900/3300 TDE	6/111050	1900/3300 TDE	6/111060	1900/3300 TDE
	6/109028	600/1000 P	6/109330	600/1000 P	6/109580	600/1000 P
	6/109040	600/1000 E	6/109346	1900/3300 P	6/109585	1900/3300 P
Stud size	BR Cat no	TRANECT no	BR Cat no	TRANECT no	BR Cat no	TRANECT no
M4 - 5 deg	54/120300	DJ4	54/120400	DK4	54/120500	DL4
M4 - 45 deg	54/120302	2DJ4	54/120402	2DK4	54/120502	2DL4
M4 - 90 deg	54/120304	3DJ4	54/120404	3DK4	54/120504	3DL4
M6 - 5 deg		DJ6		DK6		DL6
M6 - 45 deg		2DJ6		2DK6		2DL6
M6 - 90 deg		3DJ6		3DK6		3DL6
M8 - 5 deg	54/120310	DJ8	54/120410	DK8	54/120510	DL8
M8 - 45 deg	54/120312	2DJ8	54/120412	2DK8	54/120512	2DL8
M8 - 90 deg	54/120314	3DJ8	54/120414	3DK8	54/120514	3DL8
M10 - 5 deg	54/120320	DJ10	54/120420	DK10	54/120520	DL10
M10 - 45 deg	54/120322	2DJ10	54/120422	2DK10	54/120522	2DL10
M10 - 90 deg	54/120324	3DJ10	54/120424	3DK10	54/120524	3DL10
M12 - 5 deg	54/120330	WJ12	54/120430	DK12	54/120530	DL12
M12 - 45 deg	54/120332	2WJ12	54/120432	2DK12	54/120532	2DL12
M12 - 90 deg	54/120334	3WJ12	54/120434	3DK12	54/120534	3DL12
M14 - 5 deg	54/120340	WJ14	54/120440	WK14	54/120540	DL14
M14 - 45 deg	54/120342	2WJ14	54/120442	2WK14	54/120542	2DL14
M14 - 90 deg	54/120344	3WJ14	54/120444	3WK14	54/120544	3DL14
M16 - 5 deg	54/120350	WJ16	54/120450	WK16	54/120550	WL16
M16 - 45 deg	54/120352	2WJ16	54/120452	2WK16	54/120552	2WL16
M16 - 90 deg	54/120354	3WJ16	54/120454	3WK16	54/120554	3WL16
M18 - 5 deg			54/120460	WK18	54/120560	WL18
M18 - 45 deg			54/120462	2WK18	54/120562	2WL18
M18 - 90 deg			54/120464	3WK18	54/120564	3WL18
M20 - 5 deg					54/120570	WL20
M20 - 45 deg					54/120572	2WL20
M20 - 90 deg					54/120574	3WL20

Cable size	608/0.5 120 sq mm		756/0.5 150 sq mm		925/0.5 180 sq mm	
	BR Cat no	Voltage	BR Cat no	Voltage	BR Cat no	Voltage
	6/111070	1900/3300 TDE	6/111080	1900/3300 TDE	6/111090	1900/3300 TDE
	6/109680	600/1000 P	6/109900	600/1000 P	6/110200	600/1000 P
	6/109685	1900/3300 P	6/109990	1900/3300 P	6/110205	1900/3300 P
Stud size	BR Cat no	TRANECT no	BR Cat no	TRANECT no	BR Cat no	TRANECT no
M4 - 5 deg	54/120600	DM4	54/120700	DN4	54/120800	DO4
M4 - 45 deg	54/120602	2DM4	54/120702	2DN4	54/120802	2DO4
M4 - 90 deg	54/120604	3DM4	54/120704	3DN4	54/120804	3DO4
M6 - 5 deg		DM6		DN6		DO6
M6 - 45 deg		2DM6		2DN6		2DO6
M6 - 90 deg		3DM6		3DN6		3DO6
M8 - 5 deg	54/120610	DM8		DN8		DO8
M8 - 45 deg	54/120612	2DM8		2DN8		2DO8
M8 - 90 deg	54/120614	3DM8		3DN8		3DO8
M10 - 5 deg	54/120620	DM10	54/120710	DN10	54/120810	DO10
M10 - 45 deg	54/120622	2DM10	54/120712	2DN10	54/120812	2DO10
M10 - 90 deg	54/120624	3DM10	54/120714	3DN10	54/120814	3DO10
M12 - 5 deg	54/120630	DM12	54/120720	DN12	54/120820	DO12
M12 - 45 deg	54/120632	2DM12	54/120722	2DN12	54/120822	2DO12
M12 - 90 deg	54/120634	3DM12	54/120724	3DN12	54/120824	3DO12
M14 - 5 deg	54/120640	DM14	54/120730	WN14	54/120830	DO14
M14 - 45 deg	54/120642	2DM14	54/120732	2DN14	54/120832	2DO14
M14 - 90 deg	54/120644	3DM14	54/120734	3DN14	54/120834	3DO14
M16 - 5 deg	54/120650	DM16	54/120740	DN16	54/120840	DO16
M16 - 45 deg	54/120652	2DM16	54/120742	2DN16	54/120842	2DO16
M16 - 90 deg	54/120654	3DM16	54/120744	3DN16	54/120844	3DO16
M18 - 5 deg	54/120660	WM18	54/120750	DN18	54/120850	DO18
M18 - 45 deg	54/120662	2WM18	54/120752	2DN18	54/120852	2DO18
M18 - 90 deg	54/120664	3WM18	54/120754	3DN18	54/120854	3DO18
M20 - 5 deg	54/120670	WM20	54/120760	WN20	54/120860	DO20
M20 - 45 deg	54/120672	2WM20	54/120762	2WN20	54/120862	2DO20
M20 - 90 deg	54/120674	3WM20	54/120764	3WN20	54/120864	3DO20

Cable size	1221/0.5 240 sq mm		1525/0.5 300 sq mm		2013/0.5 400 sq mm	
	BR Cat no	Voltage	BR Cat no	Voltage	BR Cat no	Voltage
	6/111100 6/110380 6/110385	1900/3300 TDE 600/1000 P 600/1000 E	6/111110 6/110450	1900/3300 TDE 1900/3300 P	6/111120 6/110510	1900/3300 TDE 1900/3300 P
Stud size	BR Cat no	TRANECT no	BR Cat no	TRANECT no	BR Cat no	TRANECT no
M4 - 5 deg	54/120900	DP4	54/121000	DQ4	54/121100	DR4
M4 - 45 deg	54/120902	2DP4	54/121002	2DQ4	54/121102	2DR4
M4 - 90 deg	54/120904	3DP4	54/121004	3DQ4	54/121104	3DR4
M6 - 5 deg		DP6		DQ6		DR6
M6 - 45 deg		2DP6		2DQ6		2DR6
M6 - 90 deg		3DP6		3DQ6		3DR6
M8 - 5 deg		DP8		DQ8		DR8
M8 - 45 deg		2DP8		2DQ8		2DR8
M8 - 90 deg		3DP8		3DQ8		3DR8
M10 - 5 deg	54/120910	DP10	54/121010	DQ10	54/121110	DR10
M10 - 45 deg	54/120912	2DP10	54/121012	2DQ10	54/121112	2DR10
M10 - 90 deg	54/120914	3DP10	54/121014	3DQ10	54/121114	3DR10
M12 - 5 deg	54/120920	DP12	54/121020	DQ12	54/121120	DR12
M12 - 45 deg	54/120922	2DP12	54/121022	2DQ12	54/121122	2DR12
M12 - 90 deg	54/120924	3DP12	54/121024	3DQ12	54/121124	3DR12
M14 - 5 deg	54/120930	DP14	54/121030	WQ14	54/121130	DR14
M14 - 45 deg	54/120932	2DP14	54/121032	2DQ14	54/121132	2DR14
M14 - 90 deg	54/120934	3DP14	54/121034	3DQ14	54/121134	3DR14
M16 - 5 deg	54/120940	DP16	54/121040	DQ16	54/121140	DR16
M16 - 45 deg	54/120942	2DP16	54/121042	2DQ16	54/121142	2DR16
M16 - 90 deg	54/120944	3DP16	54/121044	3DQ16	54/121144	3DR16
M18 - 5 deg	54/120950	DP18	54/121050	DQ18	54/121150	DR18
M18 - 45 deg	54/120952	2DP18	54/121052	2DQ18	54/121152	2DR18
M18 - 90 deg	54/120954	3DP18	54/121054	3DQ18	54/121154	3DR18
M20 - 5 deg	54/120960	DP20	54/121060	DQ20	54/121160	DR20
M20 - 45 deg	54/120962	2DP20	54/121062	2DQ20	54/121162	2DR20
M20 - 90 deg	54/120964	3DP20	54/121064	3DQ20	54/121164	3DR20